



Pilous

Železná 9, 619 00 Brno, Czech Republic

Tel.: +420 543 25 20 10

e-mail: wood@pilous.cz, www.pilous.cz

OR 50



| | |
|--|-----------------------|
| Width of sharpened saw bands | 20 - 50 mm |
| Length of sharpened saw band | 2000 - 5000 mm |
| Saw band thickness | up to 2 mm |
| Tooth pitch | 8 - 30 mm |
| Manual band feed | 5 teeth / min. |
| Band feed by motor | 35teeth / min. |
| Motor of grinding disk drive | 0,12 kW / 230V, 50Hz |
| Motor of saw band drive | 0,18 kW / 230V, 50Hz |
| Cooling pump motor | 0,09 kw / 230V, 50Hz |
| Outside dimensions of grinding machine | 750 x 750 x 350 mm |
| Weight | 33 kg |
| Total power input | 0,30 kW / 230V , 50Hz |
| Grinding disk size | 175 x 6 x 20 mm |

DESCRIPCIÓN DEL PRODUCTO

Semiautomatic sharpener OR 50


An extraordinarily study and professional workmanship of the sharpener guarantees an accurate saw blade sharpening – the basic condition for productive and quality cutting on any bandsaw mill. The stone grinding wheel is a thin grinding wheel that traces the tooth shape by means of an adjustable cam system. This system enables setting of any tooth shape and size.

Accessories:

- base
- halogen lamp
- cooling system



- The original sawmill blades PILOUS MAXwood are available in a variety of types which enables you to process any kind of wood.
- The wide product range not only offers more affordable sawmill blades for low-volume cutting, but includes also sawmill blades for fully professional cutting and utmost performance.
- The foundation of all sawmill blades are top-quality German materials and precise workmanship. The quality of the sawmill blades is carefully monitored. All sawmill blades correspond to the strict ISO 9001 norm.
- We have added to our portfolio also an original Munkfors sawmill blade made by the world's leading manufacturer Uddeholm from Sweden.
- Pilous sawmill blades are used in dozens of countries around the world. Any wood you cut, the company Pilous will recommend you a sawmill blade that will fit your needs.



BiMetal

Sawmill blade with tool steel teeth - completely eliminates the need to sharpen the sawmill blade as well as frequent blade replacement. Use: soft, hard to extremely hard wood.

HSS

Bearing blade

Stellite

Sawmill blade with teeth made of Stellite. Tooth setting is completely unnecessary. Use: soft, hard to extremely hard wood.

Carbon spring steel

The most common sawmill blade for optimum price/performance ratio. Use: soft and hard wood.



Be careful when unpacking welded sawmill blades. They are in a shipping container in tensioned condition. Remove the sawmill blade cover only after fitting it onto the machine.

